(FILE 'HOME' ENTERED AT 09:26:30 ON 23 SEP 2005)

L8 L9

FILE 'EMBASE, BIOSIS, CAPLUS, SCISEARCH, MEDLINE' ENTERED AT 09:26:42 ON 23 SEP 2005 L1397 S DEPLET? (W) ?ANTIBOD? L213157461 S BLOOD OR OR SERUM OR PLASMA OR FLUID 180 S L1 AND L2 L388 DUPLICATE REM L3 (92 DUPLICATES REMOVED) L411 S L4 AND (MHC OR HLA) L5 559 S REMOV? (W) ?ANTIBOD? L6 L7 355 S L6 AND L2 23 S L7 AND (MHC OR HLA)

11 DUPLICATE REM L8 (12 DUPLICATES REMOVED)

* Also reviewed search result from parent 09/809,029

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
	10226	magnetic adj bead	US-PGPUB; USPAT	OR	ON	2005/09/23 08:33
L2	20145	mhc or hla	US-PGPUB; USPAT	OR	ON	2005/09/23 08:34
L3	683	1 same 2	US-PGPUB; USPAT	OR	ON	2005/09/23 08:34
L4	56739	purif\$ same antibod\$	US-PGPUB; USPAT	OR	ON	2005/09/23 08:34
L5	594	3 and 4	US-PGPUB; USPAT	OR	ON	2005/09/23 08:34
L6	566	5 and recombinant	US-PGPUB; USPAT	OR	ON	2005/09/23 08:34
L7	3121	2 same recombinant	US-PGPUB; USPAT	OR	ON	2005/09/23 08:34
L8	108	1 same 7	US-PGPUB; USPAT	OR	ON	2005/09/23 08:34
L9	96	4 and 8	US-PGPUB; USPAT	OR	ON	2005/09/23 08:41
L10	1	("5948627").PN.	US-PGPUB; USPAT	OR	OFF	2005/09/23 08:43
L11	1	("5256543").PN.	US-PGPUB; USPAT	OR	OFF	2005/09/23 08:43
L12	1	("5420013").PN.	US-PGPUB; USPAT	OR	OFF	2005/09/23 08:44
L13	1	("5514557").PN.	US-PGPUB; USPAT	OR	OFF	2005/09/23 08:45
L14	1	("6171585").PN.	US-PGPUB; USPAT	OR	OFF	2005/09/23 08:59
L15	34356	transplant or allograft	US-PGPUB; USPAT	OR	ON	2005/09/23 09:00
L16	1443	7 and 15	US-PGPUB; USPAT	OR	ON	2005/09/23 09:00
L17	4827	(remove or deplet or \$deplet\$) near2 (antibod\$3 or immunoglob\$)	US-PGPUB; USPAT	OR	ON	2005/09/23 09:02
L18	261	16 and 17	US-PGPUB; USPAT	OR	ON	2005/09/23 09:02

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
	7	mhc-coated or (mhc adj coated) or hla-coated or (hla adj coated)	US-PGPUB; USPAT	OR	ON	2005/09/22 14:19
L2	797700	bead or microsphere or nanosphere or nanoparticle or particle or microparticle	US-PGPUB; USPAT	OR	ON	2005/09/22 14:18
L3	86505	2 and antibod\$3	US-PGPUB; USPAT	OR	ON	2005/09/22 14:19
L4	7	1 and antibod\$3	US-PGPUB; USPAT	OR	ON	2005/09/22 14:27
L5	0	remove adj anti-hla	US-PGPUB; USPAT	OR	ON	2005/09/22 14:28
L6	16	remov\$ adj anti-hla	US-PGPUB; USPAT	OR	ON	2005/09/22 14:28

- ANSWER 4 OF 11 EMBASE COPYRIGHT 2005 ELSEVIER INC. ALL RIGHTS RESERVED. L5 on STN
- Adsorption of cytotoxic anti-HLA antibodies with HLA TIclass I immunosorbant beads.
- AB In an effort to generate HLA immunosorbants to specifically remove anti-HLA antibodies from sera of highly sensitized patients, we purified HLA proteins, covalently coupled them onto Sepharose, and adsorbed antisera from five patients with narrowly reactive cytotoxic anti-HLA antibodies and from one patient with broadly reactive antibodies. We found that an HLA-A2 immunosorbant depleted anti-HLA-A2 cytotoxic antibodies, but did not deplete anti-HLA-B7 or anti-HLA-B44 cytotoxic antibodies from the narrowly reactive patient sera. Patient S.C. developed high PRA (81%) with strong cytotoxicity against HLA-A1 and -A2 following rejection of an HLA-A1, -B57 mismatched kidney. We adsorbed his sera with five HLA immunosorbants including HLA-A2 and HLA-A1,28. We found that the HLA-A2 immunosorbant depleted antibodies to HLA-A2+ and HLA -B57+ cells but not to HLA-A1+ cells, while the HLA -A1, A28 immunosorbant depleted antibodies to both HLA-Al+ cells and to the HLA-A28 cross-reactive HLA-A2+ cells. Adsorption was specific for HLA-A alleles to which the patient was sensitized, since neither HLA -B-C immunosorbants (containing HLA-B7-, -B8, -B13, -B27, or -B37 plus HLA-C gene products) nor the control immunosorbants (bovine serum albumin or diphtheria toxoid) depleted serum S.C. of cytotoxic anti-HLA antibodies: results indicate that HLA immunosorbants are stable to sequential cycles of adsorption and elution, and thus may be of future therapeutic value in treatment of sensitized patients. Transplantation, (1990) Vol. 49, No. 5, pp. 925-931. ISSN: 0041-1337 CODEN: TRPLAU SO
- DeVito L.D.; Sollinger H.W.; Burlingham W.J.

ANSWER 6 OF 11 MEDLINE on STN

- TI [Protein A immunoadsorption al a new apheresis procedure for elimination of HLA antibodies].
 - Die Protein-A-Immunadsorption als ein neues Aphereseverfahren zur Elimination von **HLA-**Antikorpern.
- AB The protein A immunoadsorption allows to remove antibodies of the classes IgG, IgM and IgA in special quantities from the plasma. IgG subclasses 1, 2 and 4 will be removed for 100% and IgG of class 3 for nearly 80%. For this reason immunoadsorptions are a useful therapeutic method especially for immunological diseases with antibodies of IgG type. The successful use of immunoadsorption in the removal of HLA antibodies in patients with acute myeloic leukemia and patients after kidney allograft is reported.
- SO Beitrage zur Infusionstherapie und Transfusionsmedizin = Contributions to infusion therapy and transfusion medicine, (1994) 32 360-5.

 Journal code: 9442459. ISSN: 1023-2028.
- AU Schneidewind J; Gliesche T; Sehland D; Ramlow W; Wolfsdorff B; Bast R; Wegener S; Decker S; Schmidt R